

10:05:39 a. m. INFO: Finished stroke training with level 12
10:05:39 a. m. CHAT: 10:05 a. m. Bryci: I did expect more...
10:05:41 a. m. INFO: Trying to run link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Trying to run non chastity link
10:05:41 a. m. INFO: Executing link and adding to history
10:05:41 a. m. CHAT: 10:05 a. m. Bryci: Are you ready to start stroking again?
10:05:46 a. m. CHAT: 10:05 a. m. Manolas: Yes Mistress
10:05:46 a. m. CHAT: 10:05 a. m. Bryci: You're so transparent disgusting bitch
10:05:49 a. m. CHAT: 10:05 a. m. Bryci: Lets see what I got in store for you
wicked grin
10:05:54 a. m. CHAT: 10:05 a. m. Bryci: Girl
10:05:55 a. m. CHAT: 10:05 a. m. Bryci: Remove all clamps from your tongue *loudly gasps*
10:06:00 a. m. CHAT: 10:06 a. m. Bryci: Cum market go ahead and remove that gag from your mouth
10:06:05 a. m. CHAT: 10:06 a. m. Bryci: Tell me when you are ready to continue
10:06:13 a. m. CHAT: 10:06 a. m. Manolas: Ready
10:06:13 a. m. CHAT: 10:06 a. m. Bryci: Have you removed the gag yet?
10:06:18 a. m. CHAT: 10:06 a. m. Manolas: Yes
10:06:18 a. m. CHAT: 10:06 a. m. Bryci: Marvelous
10:06:19 a. m. CHAT: 10:06 a. m. Bryci: Put the gag aside for now
10:06:21 a. m. INFO: Min time between stroking passed: 15
Exception in thread "Thread-2523" java.lang.StackOverflowError
at java.base/java.security.AccessController.doPrivileged(Native Method)
at
java.base/sun.invoke.util.VerifyAccess.isTypeVisible(VerifyAccess.java:288)
at
java.base/sun.invoke.util.VerifyAccess.isTypeVisible(VerifyAccess.java:308)
at
java.base/java.lang.invoke.MemberName.checkForTypeAlias(MemberName.java:871)
at
java.base/java.lang.invoke.MemberName\$Factory.resolve(MemberName.java:1074)
at
java.base/java.lang.invoke.MemberName\$Factory.resolveOrFail(MemberName.java:1098)
at
java.base/java.lang.invoke.MethodHandles\$Lookup.resolveOrFail(MethodHandles.java:2030)
at
java.base/java.lang.invoke.MethodHandles\$Lookup.findStatic(MethodHandles.java:1102)
at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.Context.createProgramFunction

```
Handle(Context.java:1450)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.Context.getProgramFunction(Conte
xt.java:1445)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.Context.compileScript(Context.ja
va:1467)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.Context.compileScript(Context.ja
va:750)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.compileImpl(Nas
hornScriptEngine.java:542)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.compileImpl(Nas
hornScriptEngine.java:531)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
```

```
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
```

```
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1557$^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
```

```
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
        at
```



```
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
```

```
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
```

```
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
```

```
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
```

```
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
```



```
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1557$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
```

```
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
```

```
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
```

```
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1560$eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
```



```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1557$eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
```

```
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1553$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
```

```

)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at

```

```
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
```

```
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1557$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
```



```
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
```

```
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
```

```
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
```

```
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
```

```
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval$.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$^eval$.program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
```

```
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
```



```
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
```

```
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
```

```
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1560$^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
```

```
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
```

```
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
```



```
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.godddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.godddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
```

```
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
```

```
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
```

```
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
```

```
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
3$\^eval\_.:program(<eval>:3)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
```

```
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$^eval\_.runModuleCategory(<eval>:176)
```

```
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
        at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
        at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
        at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
        at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
        at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
        at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
```

```
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
    at
java.scripting/javafx.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249
)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$156
0$\^eval\_.:program(<eval>:4)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
```



```
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectScopeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1406$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn.scripts/jdk.nashorn.internal.scripts.Script$Recompilation$1557$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(ScriptFunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunction.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntime.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(NashornScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScriptEngine.java:157)
    at
java.scripting/javax.script.AbstractScriptEngine.eval(AbstractScriptEngine.java:249)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.runScript(ScriptHandler.java:189)
    at
me.goddragon.teaseai.api.scripts.ScriptHandler.evalScript(ScriptHandler.java:172)
    at
me.goddragon.teaseai.api.scripts.nashorn.RunFunction.call(RunFunction.java:32)
```

```
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.linker.JSObjectLinker.jsObjectSc
opeCall(JSObjectLinker.java:254)
    at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$140
6$5328A$\^eval\_.runModuleCategory(<eval>:176)
    at
jdk.scripting.nashorn/scripts/jdk.nashorn.internal.scripts.Script$Recompilation$155
7$\^eval\_.:program(<eval>:9)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunctionData.invoke(Script
FunctionData.java:655)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptFunction.invoke(ScriptFunc
tion.java:513)
    at
jdk.scripting.nashorn/jdk.nashorn.internal.runtime.ScriptRuntime.apply(ScriptRuntim
e.java:527)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:456)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:413)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.evalImpl(Nashor
nScriptEngine.java:409)
    at
jdk.scripting.nashorn/jdk.nashorn.api.scripting.NashornScriptEngine.eval(NashornScr
iptEngine.java:157)
10:06:52 a. m. CHAT: 10:06 a. m. Manolas: Done
10:07:28 a. m. CHAT: 10:07 a. m. Manolas: Ready
10:09:02 a. m. CHAT: 10:09 a. m. Manolas: I am on the edge
10:09:15 a. m. CHAT: 10:09 a. m. Manolas: I am sorry Mistress
10:09:16 a. m. CHAT: 10:09 a. m. Manolas: Hello Mistress
10:09:18 a. m. CHAT: 10:09 a. m. Manolas: Yes Mistress
10:09:18 a. m. CHAT: 10:09 a. m. Manolas: No Mistress
istress
10:09:18 a. m. CHAT: 10:09 a. m. Manolas: Yes Mistress
10:09:18 a. m. CHAT: 10:09 a. m. Manolas: No Mistress
```